Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	. 1	10/708642	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:56
S3	4812668	aluminum or (Al OR Al2 or Alsub2 or "Al.subx" or "Al.subn" or "Al.sub.2" or "Al.sub.x" or "Al.sub.n")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:46
S4	513069	molybdenum or Mo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:50
S5	5965	(SF6 or SFx or SFn or SFsubx or SFsubn or "SF.subx" or "SF.subn" or "SF.sub.x" or "SF.sub.n")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:52
S6	275517	(liquid adj crystal near display) or LDC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:01
S7	124299	glass near substrate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:53
S8	65092	(word near array) or (word adj line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:54
S9	948931	gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:54
S10	152954	photoresist	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:53
S11	142	oblique adj sidewalls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:55

S12	19560	overetch\$4 or (over adj etch\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:24
S14	425	AlNd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:57
S15	425	AlNd or (aluminum adj neodium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:57
S16	428	AlNd or (aluminum near neodium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:58
S17	4812716	S3 or S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:58
S18	10169	MoW or (molybdunum adj Tungsten)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 09:59
S19	522326	S4 or S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:00
S20	326122	S17 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:00
S21	10671	S7 and clean	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/07/05 10:01
S22	15271	S7 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:53

						
S23	3125	S22 and etch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:01
S24	3569	S22 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:02
S25	1434	S24 and etch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:02
S26	1103	S25 and plasma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:47
S27	5965 ·	(SF6 or SFx or SFn or SFsubx or SFsubn or "SF.subx" or "SF.subn" or "SF.sub.x" or "SF.sub.n")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:38
S28	228021	Fluorine or(SF6 or SFx or SFn or SFsubx or SFsubn or "SF.subx" or "SF.sub.")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:38
S29	587588	Fluorine or Clorine or Cl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:39
S30	822739	oxygen or O2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:59
S32	1039	S27 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:41
S33	413554	cl or clorine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:41

			T *	1	1	
S34	314	S27 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:41
S35	222671	fluorine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:41
S36	86509	S30 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:42
S37	· 44	S32 and S34 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÒR	ON	2005/07/05 10:42
S38	13	S26 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:43
S39	600	S26 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:45
S40	2	S39 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:45
S41	35	S26 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:47
S42	505973	photoresist or resist	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:53
S43	6870	S7 and S17 and S19 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:54

S44	196302	etch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:54
S45	453136	plasma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:54
S46	64529	S44 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:55
S47	1917	S46 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:55
S48	6232	overetch or (over adj etch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:56
S49	72	S47 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:58
S50	0	S49 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:58
S51	0	S49 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 10:59
S52	22	S49 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/07/05 11:00
S53	16818	S6 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:02

			7			<u></u>
S54	13447	S53 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:02
S55	2649	S54 and etch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:02
S56	2026	S55 and plasma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:02
S57	1728	S56 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:03
S58	0	S57 and raotio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:04
S59	41	S57 and (gas near ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:04
S60	447674	S59 and fluorine or SF or Cl or SiF	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:05
S61	447674	S59 and fluorine or (SF or Cl or SiF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:05
S62		(S59 and fluorine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/07/05 11:47
S63	19	S62 and taper\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:24

S65	9746	shower adj head	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:57
S67	3642747	AMT or (applied adj materials)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:53
S69	2835	S65 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 11:54
S74	513069	molybdenum or Mo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:19
S75	19560	overetch\$4 or (over adj etch\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:25
S76	5514	S75 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:25
S77	. 20	S75 near S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:35
S78	5965	(SF6 or SFx or SFn or SFsubx or SFsubn or "SF.subx" or "SF.subn" or "SF.sub.x" or "SF.sub.n")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:35
S79	. 0	S77 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:35
S80	1591	(oxygen near fluorine)and ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:40

S81	23	S80 and LCD	US-PGPUB;	OR	ON	2005/07/05 12:36
301	23	380 and ECD	USPAT; EPO; JPO; DERWENT; IBM_TDB	OK .	OIV	2003/07/03 12:30
S82	. 70	(oxygen near fluorine)near ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:40
S83	70	(oxygen near fluorine) near ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:41
S84	. 0	S83 and LCD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:41
S85	12	S83 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:47
S86	25	S83 and etch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:48
S87	949586	S86 and plasma or dry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/07/05 12:48
S88	23	S86 and (plasma or dry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:48
S89	45308	S74 and (etch or plasma) and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OŖ	ON	2005/07/05 13:19
S90	2172	S89 and LCD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:04

S91	151	S90 and mTorr	US-PGPUB;	OR	ON	2005/07/05 13:04
331	131		USPAT; EPO; JPO; DERWENT; IBM_TDB	OIX.	ON	
S92	26	S91 and (mTorr near pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:05
S93	153276	molybdenum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:24
S94	27219	S93 and (etch or plasma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:25
S95	143	S94 and (mTorr near pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:20
S96	887	(S93 and (etch or plasma)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:59
S97	4	S96 and (mTorr near pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:21
S98	181	(S93 and (etch or plasma)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:23
S99	0	S98 and (mTorr near preasure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:26
S10 0	2	S98 and mTorr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:23

					-	
S10 1	21291	molybdenum adj tungsten	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:24
S10 2	2	(S101 and etch).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:24
S10 3	181	(S93 and (etch or plasma)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:26
S10 4	0	S98 and (mTorr near presure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:26
S10 5	14	S103 and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:31
S10 6	3790683	(source adj power) and (bias or (bias adj power)) and pressure and (o2 or oxygen) and fluorine or F or SF or Cl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:33
S10 7	865	(source adj power) and (bias or (bias adj power)) and pressure and (o2 or oxygen) and (fluorine or F or SF or Cl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:33
S10 8	794	S107 and (etch or plasma)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/07/05 13:34
S10 9	0	S108 and molybdium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:34
S11 0	128	S108 and molybdenum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:48

		· · · · · · · · · · · · · · · · · · ·				
S11 1	. 17	S110 and (etch.ti.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:54
S11 2	2	10/142846	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:55
S11 3	425	AlNd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:56
S11 4	4372660	Al	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:56
S11 5	411924	.Mo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:56
S11 6	10169	MoW	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:56
S11 7	288	S115 and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:56
S11 8	230	S117 and LCD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 13:58
S11 9	. 11	S96 and ((end adj point) or endpoint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:10
S12 0	0	S119 and wavelenth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:01

S12 1	2	S119 and nm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:01
S12 2	0	endpoint near molybdenum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:11
S12 3	11	wavelength near molybdenum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:12
S12 4	5469	wavelength and endpoint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:12
S12 5	1190	S124 and etch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:12
S12 6	698	S125 and emmissions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:12
S12 .7	122	S125 and molybdenum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:13
S12 8	122	S127 and etch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:13
S12 9	45	S127 and (etch.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:14
S13 0	. 0	S129 and 704nm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:15

S13 1	0	S128 and 704nm	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/07/05 14:15
S13 2	519561	wavelength 704nm	US-PGPUB; USPAT;	OR	ON	2005/07/05 14:15
		·	EPO; JPO; DERWENT; IBM_TDB			
S13 3	2	wavelength and 704nm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:20
S13 4	1	10/327084	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:34
S13 5	2	"5445710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:49
S13 6	5	10/142846, 10/327084, "5445710.pn. ", "5354417.pn.", 10/282621, jp405067590A	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:56
S13 7	0	"5445710.pn.", "5354417.pn."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:56
S13 8	0	"5445710.pn." "5354417.pn."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:56
S13 9	0	"5445710.pn."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:56
S14 0	2	"5445710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 14:57

S14	. 2	"5354417".pn.	US-PGPUB; USPAT;	OR	ON	2005/07/05 14:56
-			EPO; JPO;			
•			DERWENT;			
			IBM_TDB			



Online Public File Inspection

EPO Customer Services Tel: (+31 70) 340 45 00 Open Monday to Friday, 08:00 to 18:00 hrs. CET

Online Public File Inspection

,	- 4
Enter application number: wo0104483 or	
(e.g. 99203729 or EP19990402065 or WO1998US04141)	•
Enter publication number:	
(e.g. EP1023455 or WO0133678)	
Applications viewed:	
Welcome to the <i>epoline</i> ® Online Public File Inspection service.	
The European Patent Office's Online Public File Inspection service implements Article 128 of the European Patent Convention, according to which the public is entitled to inspect the complete content of the files relating to all European patent applications after they have been published.	nts
A large and ever-increasing number of patent applications are stored in image format at the EPO. The files may be inspected remotely using the Online Public File Inspection facility. If you enter a valid application number and click on the folder icon, all the documents in the file will be displayed, sorted date, in the form of a "table of contents". By clicking on the link for a document you can display its important in a viewer, which is downloaded and started automatically.	by
By checking the box next to it, you can select any document for download to your PC. You can also select all the documents at once by clicking on "Select all documents". If the application is not available in electronic form, please contact EPO Customer Services, who will advise you on how to inspect file still in paper form.	
The provisions governing the inspection of files are laid down in <u>Article 128</u> of the European Patent Convention and Rules <u>93</u> , <u>94</u> and <u>95</u> of the Implementing Regulations thereto.	
View the <u>legal notices</u> .	



European
Patent Office

Français Doutsch

English